



中国国家强制性产品认证证书

证书编号：2014010304745152

委托人名称、地址

苏州西门子电器有限公司
江苏省苏州新区珠江路 455 号

生产者（制造商）名称、地址

苏州西门子电器有限公司
江苏省苏州新区珠江路 455 号

生产企业名称、地址

苏州西门子电器有限公司天台分公司
浙江省天台县济公大道 699-10 号

产品名称和系列、规格、型号

指示灯

R25T,AD16-25: Ui:300V; Ue=AC/DC 20~48V 50Hz, AC/DC 77~137.5V 50Hz; 安装孔径:
Φ25; IP66; 型号解释见附件

产品标准和技术要求

GB/T14048.5-2017

上述产品符合强制性产品认证实施规则 CNCA-C03-02:2014 的要求，
特发此证。

发证日期：2018 年 04 月 27 日 有效期至：2019 年 12 月 26 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书，证书首次颁发日期：2014 年 12 月 26 日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任：



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2014010304745152

NAME AND ADDRESS OF THE APPLICANT

Siemens Electrical Apparatus Ltd., Suzhou
No.455 Zhujiang Road ,SND,Suzhou,Jiangsu Province,P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

Siemens Electrical Apparatus Ltd., Suzhou
No.455 Zhujiang Road ,SND,Suzhou,Jiangsu Province,P.R.China

NAME AND ADDRESS OF THE FACTORY

Siemens Electrical Apparatus Ltd., Suzhou,Tiantai Branch
No.699-10,Jigong Road,Tiantai County,Zhejiang Province,P.R.China

PRODUCT NAME, MODEL AND SPECIFICATION

Idicator

R25T,AD16-25: Ui:300V; Ue=AC/DC 20~48V 50Hz, AC/DC 77~137.5V 50Hz; Mounting
aperture: Φ25; IP66

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T14048.5-2017

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO.CNCA-C03-02:2014).

Valid from: Apr.27,2018

Valid until: Dec.26,2019

The validity of the certificate is subject to positive result of the regular follow up
inspection by issuing certification body until the expiry date.

Date of original issued: Dec.26,2014

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书


附 录

证书编号: 2014010304745152

第 1 页 共 1 页

纸 号: 1938318

型号解释:



电压代码对照表

电压代码	24	27
电压	AC/DC20V-48V	AC/DC77V-137.5V

AD 16-25 □□ / □□□□
 ① ② ③ ④ ⑤ ⑥ ⑦ ⑧

- ① 指示灯型号
- ② 设计序号
- ③ 基本规格代号, 表示安装孔径为 25mm。
- ④ 头部类型代码: A 圆头 B 平头。
- ⑤ 发光类型代码: 1 常亮 2 闪亮。
- ⑥ 表示指示灯颜色: r(红), g(绿), y(黄), b(蓝), w(白)
- ⑦ 电压代码: (用两位数字表示, 见下表)。
- ⑧ 辅助代码 (不同代码之间用“-”隔开)
 - 1. 无标注: 按常规型号供货。
 - 2. 有标注: 按要求标注, 标注的代码由 2-10 位数字或字母组成, 用来标识供货信息。

电压代码对照表

电压代码	24	27
电压	AC/DC20V-48V	AC/DC77V-137.5V

注: 此附录与证书同时使用时有效。



主任:



中国质量认证中心