



中国国家强制性产品认证证书

证书编号：2010010304452156

委托人名称、地址

苏州西门子电器有限公司
江苏省苏州新区珠江路 455 号

生产者（制造商）名称、地址

苏州西门子电器有限公司
江苏省苏州新区珠江路 455 号

生产企业名称、地址

苏州西门子电器有限公司天台分公司
浙江省天台县济公大道 699-10 号

产品名称和系列、规格、型号

指示灯

AD16-12A: Ui:440V; Uimp:2.5kV; Ue: (AC/DC) 48V、63V、75V、110V、127V、220V、50Hz; 外壳防护等级: 头部 IP40; 安装孔径:Φ12mm; 型号解释请见附件

产品标准和技术要求

GB/T14048.5-2017

上述产品符合强制性产品认证实施规则 CNCA-C03-02:2014 的要求，特发此证。

发证日期：2018 年 07 月 30 日 有效期至：2021 年 02 月 02 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书，证书首次颁发日期：2011 年 02 月 12 日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任：



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2010010304452156

NAME AND ADDRESS OF THE APPLICANT

Siemens Electrical Apparatus Ltd., Suzhou
No.455 Zhujiang Road, New District, Suzhou, Jiangsu Province, P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

Siemens Electrical Apparatus Ltd., Suzhou
No.455 Zhujiang Road, New District, Suzhou, Jiangsu Province, P.R.China

NAME AND ADDRESS OF THE FACTORY

Siemens Electrical Apparatus Ltd., Suzhou, Tiantai Branch
No.699-10, Jigong Road, Tiantai County, Zhejiang Province, P.R.China

PRODUCT NAME, MODEL AND SPECIFICATION

Indicators

AD16-12A: U_i:440V; U_{imp}:2.5kV; U_e: (AC/DC) 48V、63V、75V、110V、127V、220V、50Hz; Φ12mm; IP40(for head); Mounting aperture: Φ12mm; See the Appendix for type explanation

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T14048.5-2017

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C03-02:2014).

Valid from: Jul.30,2018

Valid until: Feb.02,2021

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Feb.12,2011

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号: 2010010304452156

纸 号: 2000646

型号解释:

AD 16-12 A □ / □ □ □ □
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

- ① 指示灯型号
- ② 设计序号
- ③ 基本规格代号, 表示安装孔径为 12mm
- ④ 辅助规格代码 (A)
- ⑤ 表示显示符号代码, 见表 1
- ⑥ 表示指示灯颜色: r (红), g (绿), y (黄), b (蓝), w (白)
- ⑦ 电压代码, 见表 2
- ⑧ 防护等级。无标注: 默认值, 有标注: 按要求标注
- ⑨ 辅助代码 (不同代码之间用“-”隔开)
 - 1. 无标注: 按常规型号供货
 - 2. 有标注: 按要求标注, 标注的代码由 2-10 位字符组成, 用来标识供货信息

表 1 显示符号代码

代码	不标注	Sxyz	S99
符号片内容	没有符号片	标准符号片	有符号片, 内容客户要求

注: 代码 Sxyz 中的 S 代表符号, xyz 表示符号代码, 用阿拉伯数字表示, 见产品样本中的符号片编号。

表 2 电压代码对照表

电压代码	20	21	22	23	24	25	26	27	28
电源	DC, AC								
电压	5V	6V	12V	24V	36V	48V	110V	127V	220V
灯珠类型	LED 灯珠								

注: 此附录与证书同时使用时有效。



主 任:



中国质量认证中心